New Jersey Division of HIV/AIDS Services Persons Living with HIV/AIDS as of June 30, 2004 Woodbridge Residents

_		Adult/Adolesc	ent *		Pediat			Tota	
1.	Current HIV/AIDS Category	Cases %			Cases	% 		Cases	용
	AIDS-Any OI AIDS-CD4 Only HIV Only	# # 62 39 # #			# O #	# O #		37 62 64	23 38 39
	Total	160 100			#	#		163	100
2.	Current Age * Cases %	3. Race/Eth.				% (Pediatri Cases %	Cases	al %
	<5 0 0 5-12 # # 13-19 # # 20-29 7 4	White, No Black, No Hispanic Other/Unk	t Hisp t Hisp nown	anic anic	#	# # 10 6	# #	76 62 16 9	47 38 10 6
	30-39 35 21 40-49 74 45 50+ 40 25 Unk. 0 0	Total			160		# #		
	Total 163 100								
4.	Patient Group		Ad ales			t Trans Females	8 %	n Modes ** Tota	
	Men sex with men (MSM) Injection drug user (IDU) MSM/IDU Heterosexual contact Risk not reported/other***	_	29 25 7 11 26	30 26 7 11 27		0 21 0 23 14	0 36 0 40 24	3	29 19 46 29 7 4 34 22 40 26
	Total	-	98	100		58	100	15	56 100
			ales	%	diatric	Females	3 %	Tota	
	Parent at risk/has AIDS/HIV Risk not reported/other***		# 0	# 0		# O	# O		7 100 0 0
	Total	_	#	#		#	#		7 100

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- * Classification based on current age at the end of June 2004.
- ** # patients are currently of adult/adolescent age (13+ years old), but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2, and 3, and as pediatric reports in table 4.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Woodbridge Residents

Adult/Adolescent*

1. Disease Ca	tegory			Deaths (%)						
KS Alone No Disease	Listed		# (#) # (#) 98 (37)	# (#) # (#) # (#) 36 (38)	# (#) # (#) O (O)	# # # 0	#) (#) (#) (#)	# (# (98 (:	36) #) #) 36)	# (#)
Total			266 (100)	172 (66)	10 (100)		(50)	276 (1)		177 (65)
2. Age *	Cases	olo		Eth.			ic*	Total Cases	%	
Under 5 5-12 13-19 20-29 30-39 40-49	#	13 43	White Black Hispa Other			6 # 0 		166 76 27 7 	60 28 10 3	
40-49 Over 49 Unknown Total	30 0 276	11 0 	Total	•	200 100	10	100	276	100	

Pediatric*

Total

4.	Patient	Group
----	---------	-------

Patient Group	Adult/Adolescent Transmission Modes **										
	Males	용	Females	용	Total	용					
Men sex with men (MSM)	61	31	0	0	61	23					
Injection drug user (IDU)	75	38	37	54	112	42					
MSM/IDU	14	7	0	0	14	5					
Heterosexual contact	18	9	22	32	40	15					
Risk not reported/other***	29	15	10	14	39	15					
Total	197	100	69	100	266	100					

	Males	%	latric Transmission Modes Females %	Total	용
Parent at risk/has AIDS/HIV	#	#	# #	#	#
Risk not reported/other***	#	#	# #	#	#
Total	5	100	5 100	10	100

[#] indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Classification at time of AIDS diagnosis.

^{** 0} patients were diagnosed with AIDS as adults, but have evidence either of having been HIV-infected or of having acquired AIDS as children. They are counted as adult/adolescent reports in tables 1,2, and 3; and as pediatric reports in table 4.

^{***} Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services AIDS Cases Reported as of June 30, 2004 Woodbridge Residents

5. AIDS Cases by Year of Diagnosis.

Year of Diagnosis	Number of Cases	Number of Deaths	Case-Fatality Rate
Before 1985	#	#	#
1985	#	#	#
1986	7	7	100%
1987	15	15	100%
1988	15	15	100%
1989	17	15	88%
1990	14	13	93%
1991	20	20	100%
1992	23	17	74%
1993	27	20	74%
1994	32	18	56%
1995	18	8	44%
1996	15	7	47%
1997	16	7	44%
1998	10	#	#
1999	5	0	0%
2000	8	#	#
2001	11	#	#
2002	6	0	0%
2003	14	#	#
2004	#	#	#
Total	276	177	64%

New Jersey Division of HIV/AIDS Services HIV INFECTION-not-AIDS Reports with Identifiers Reported as of June 30, 2004 Woodbridge Residents

1.	Age *	Cases	90	2.	Race/Ethnicity	Adult/ Cases		Ped Case		ric* %	Total Cases	0/0
	Under 5	#	#		White, Not Hispanic	#	#		#	#	39	55
	5-12	0	0		Black, Not Hispanic		#		#	#	25	35
	13-19	0	0		Hispanic	5	7		0	Ō	5	7
	20-29	15	21		Other/Unknown	#	#		0	0	#	#
	30-39	31	43									
	40-49	19	26		Total	69	100		#	#	72	100
	Over 49	#	#									
	Unknown	0	0									
	Total	72	100									
3.	Patient Gr	oup			Ad	ult/Adole	scent '	Transmi	ssi	on Modes **		
					Males	용	Fei	males	%	Tota	al %	
	Men sex wi				16	37		0	0		16 23	
	Injection	arug user	(TDO)		12	28		9	35	2	21 30	
	MSM/IDU				#	#		Ü	0		# #	

10 23

43 100

17 25

69 100

7 27

26 100

	Pediatric Transmission Modes						
	Males	%	Females %	Total	%		
Parent at risk/has AIDS/HIV Risk not reported/other***	0		# # # #	# #	#		
Total				 #	#		

- * Classification at time of first HIV+ test or at time of report if not yet confirmed HIV+.
- # indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.

Heterosexual contact Risk not reported/other***

Total

- ** O patients were diagnosed with HIV as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1 and 2; and as pediatric reports in table 3.
- *** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

NOTE: These tables include those reports of HIV Positive infection that have not yet been updated to AIDS status. Not included in these tables are cases initially reported as HIV-not-AIDS that have subsequently been updated to AIDS. Also not included in these tables are HIV Perinatal Exposure Reports where the serostatus of the child is not confirmed HIV Positive; i.e., the HIV serostatus of the child is undetermined or has been found to be negative (seroreverted).

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Woodbridge Residents

1.	Current HI				Cases				Ped Case	es				Tota ises	%	
	AIDS-Any (AIDS-CD4 (HIV Only	DI Dnly			# 98 #		29			# O #	 # 0 #			178 98 72		
	Total				335		100			.3	100			348	100	
2.	Age *			3.					ult/A ses			ses	ric*		Cases	otal %
	Under 5 5-12 13-19 20-29 30-39		2 # # 18		Black, I Hispanio	Not Not C nkn	Hispanic Hispanic own		197 # # 10	59 # # 3		8 # #	62 # # 0		101 32	59 29 9 3
	40-49 Over 49 Unknown	89 30 0	26 9 0		Total				335	100		13	100		348	100
	Total	348	100													
4.	Patient G	-					Males	%]	t Trans Females	용			1 %	
	Men sex wi Injection MSM/IDU Heterosexu Risk not n	ith men (M drug user ual contac reported/c	ISM) : (IDU) :t other***				87 16 21 39	32 36 7 9 16			46 0 32 17	0 48 0 34 18		13 1 5 5	 7 23 3 40 6 5 3 16 6 17	
	Total						240	100		-	95	100		33		
							Males	%]	Transmi Females	용		Tota	1 %	
	Parent at Risk not 1	risk/has reported/c	AIDS/HI ther***				# #	# #			8 0	100		1.	2 92 # #	

NOTE: Includes only those persons known to be infected with HIV.

- # Indicates that number is not shown due to small cell size, in accordance with NJDHSS security and confidentiality policies.
- Classification at time of first HIV+/AIDS diagnosis.

Total

** 0 patients were diagnosed with HIV/AIDS as adults, but have evidence of having been HIV-infected as children. They are counted as adult/adolescent reports in tables 1,2 and 3; and as pediatric reports in table 4.

5 100 8 100 13 100

*** Included in this category are persons with modes of transmission of coagulation disorder and transfusion with blood/blood products.

New Jersey Division of HIV/AIDS Services HIV/AIDS Cases Reported as of June 30, 2004 Woodbridge Residents

5. HIV/AIDS Cases by Year of First HIV/AIDS Diagnosis.

Year of First HIV/AIDS Diagnosis	Cases	Number Known Dead	Case-Fatality Rate
Before 1985	#	#	#
1985	#	#	#
1986	9	9	100%
1987	21	20	95%
1988	22	19	86%
1989	28	25	89%
1990	27	17	63%
1991	29	25	86%
1992	26	12	46%
1993	19	10	53%
1994	36	15	42%
1995	19	7	37%
1996	14	6	43%
1997	22	6	27%
1998	12	#	#
1999	11	0	0%
2000	16	#	#
2001	12	5	42%
2002	8	#	#
2003	10	#	#
2004	#	#	#
Total	348	185	53%